Bastone Portable Restroom with Showers



Chery Industrial Canada

Owner's Manual

Portable Toilet with Shower

I. Product Model

No.	Standard	Product No.	Model No.
1	American Standard（110V）	10024010007 065A003	002-01-001-US

II. Layout



Chery Industrial Canada

III. Specifications

1. **Overall Dimension**:

L2165mm*W1930mm*H2360mm

(L7FT*W6.5FT*H8FT)

2. **Main Structure**:

- Main Part: Q235 steel frame/ steel plate roof/ main zinc-rich bottom plastic + gray floating powder
- Wallboard: fireproof B2 level 50EPS foam composite wallboard + UV board
- Roof Board: PVC ceiling board + fireproof insulation foam board
- Floor: 12MM rigid PVC + 3MM anti slip and wear-resistant plastic-flooring
- Doors and Windows: EPS composite panel inward-opening door/ white broken bridge aluminum outward-opening window
- Bathroom: ventilating fan/ closestool/ wash basin/ mirror cabinet/ shower head/ shower base/ shower curtain/ partition/ floor drain
- Furniture: X
- Drain off Water: cold-hot water 1/2'' PEX pipe/ drains 1-1/2'' PVC pipe / toilet discharge3'' PVC pipe

Chery Industrial Canada

- Power Distribution: electricity (concealed wiring)/ switch/ socket/ LED ceiling light/ circuit breaker
- Attachment: X

3. **Configuration Table**:

Name	Specifications
Circuit Breaker	circuit breaker, 16A
Switch Box	switch box
Aviation Socket	aviation socket, 32A
Switch	switch
Socket	socket
LED Tri-proof Ceiling Light	LED Tri-proof Ceiling Light,265mm.18W,6000K
Louver Ventilating Fan	louver ventilating fan
Broken Bridge Aluminum Outward-opening Window	broken bridge aluminum Outward-opening window, W690 X H500
Wash-basin	550 bathroom sink, cabinet and mirror cabinet
Hot and Cold Water Faucet	hot and cold water faucet
Shower Faucet	shower faucet

Chery Industrial Canada

Soap Holder	Soap Holder
Shower Base	Rectangular shower base, 900*900
Shower Curtain	95*200cm, beige
Shower Partition	polycarbonate shower partition
Ceramic Toilet	ceramic toilet
Angle Valve	American Standard Female Thread Angle Valve, 1/2 Female × 3/8 Male
Toilet Brush	Toilet Brush
Tissue Holder	Tissue Holder with Phone Shelf, 304 Stainless Steel
Hot Cold Water Inlet Pipe	1/2 ‘’ PEX pipe, fitting size 1/2’’ × 1/2’’ Female
Drain-pipe	1-1/2’’ PVC pipe, drainage outlet 1-1/2’’ PVC pipe

4. **Fire Resistance**: A1/B2 (Optional)

KEEP THESE OWNER’S MANUAL FOR FUTURE REFERENCE.

Chery Industrial Canada